

MINIO: An I/O Benchmark for Investigating High Level Parallel Libraries

[Extended Abstract]

James Dickson
Department of Computer
Science
University of Warwick
Coventry, UK
j.dickson@warwick.ac.uk

Satheesh Maheswaran
High Performance Computing
UK Atomic Weapons
Establishment
Aldermaston, UK

Steven Wright
Department of Computer
Science
University of Warwick
Coventry, UK

Andy Herdman
High Performance Computing
UK Atomic Weapons
Establishment
Aldermaston, UK

Stephen Jarvis
Department of Computer
Science
University of Warwick
Coventry, UK

ABSTRACT

Input/output (I/O) operations are amongst the biggest challenges facing scientific computing as it transitions to exascale. The traditional software stack – comprising of parallel file systems, middlewares and high level libraries – has evolved to enable applications to better cope with the demands of enormous datasets. This software stack makes high performance parallel I/O easily accessible to application engineers, however it is important to ensure best performance is not compromised through attempts to enrich these libraries. We present MINIO, a benchmark for the investigation of I/O behaviour focusing on understanding overheads and inefficiencies in high level library usage. MINIO uses HDF5 and TyphonIO to explore I/O at scale using different application behavioural patterns. A case study is performed using MINIO to identify performance limiting characteristics present in the TyphonIO library as an example of performance discrepancies in the I/O stack.

1. INTRODUCTION

Systems for modern high performance computing (HPC) are reaching extreme scales, with efforts being made towards exascale computing [1]. While much of the focus on achieving exascale has been on improving computation speed, many of the peripheral components of the supercomputer have failed to keep pace. One such example of this is in the parallel file systems connected to today’s HPC systems – where both physical and financial limitations have contributed to a reduced rate of development compared to processor and memory systems. As a result of the increase in computational resources available today, simulations are being conducted at greater resolution and generating larger volumes of data than ever before. Many scientific simulations are therefore becoming limited, not by their computational complexity, but by their ability to perform I/O operations efficiently at extreme scales.

Parallel applications are increasingly making use of the MPI-IO library [5] or middlewares such as the Hierarchical Data Format (HDF5) [3]. MPI-IO represents the backbone of most parallel I/O, managing operations from multiple processes to the underlying file system. High level libraries extend this capability, handling elements such as the calculation of file offsets and providing features such as collective I/O. Additionally, the accompanying self describing file formats give structure and portability to datasets across systems and applications. The origin of HDF5 has followed a trajectory from serial to parallel, posing a question of whether the current mechanism limits transition to future extreme scale requirements. This places important focus on how applications use I/O libraries.

To encourage adoption of modern I/O techniques, institutions have the ability to introduce in-house layers or adaptations to existing high level libraries, examples being TyphonIO [6] and SILO [4]. Their use adds a level of future proofing to applications, standardisation of practices and capabilities, such as support for VisIt in SILO. It is important to ensure that in developing these libraries, unnecessary overheads are not introduced and fine-grained control over I/O behaviour is not lost.

2. BENCHMARK DESIGN

MINIO currently implements the HDF5 and TyphonIO parallel I/O libraries. Design considerations were made to facilitate generation and reading or writing various dataset compositions in different patterns. The result of which allow direct comparisons to be drawn between different library implementations.

2.1 Application Characteristics

The execution sequence followed by MINIO can be modelled as the following:

```
Initialise and read input parameters;
if Writing then
  Generate simulation data;
  for n timesteps do
    Perform computation to buffer I/O operations;
    Write dataset contents to file;
  end
end
if Reading then
  for n timesteps do
    Read dataset from file;
    Perform computation to buffer I/O operations;
  end
end
Data validation;
End simulation and output profiling information;
```

A valuable feature of our application is the computational buffer introduced between consecutive read or write operations. The purpose being a greater similarity to real applications, which consist of numerical computations between collections of I/O operations. The characteristics of this buffer are controlled by the parameters explained in greater detail below.

2.2 Parametrisation

The benchmark design allows for many of the application features to be changed via input parameters depending on user requirements. This permits investigation of I/O behaviour given different access patterns and problem formulations. The configuration of a run is controlled by a self describing input file written in the YAML data interchange format.

Input parameters control the following aspects of application execution:

- I/O library – TyphonIO or HDF5
- Mesh structure, number of real, mixed and ghost elements
- Additional quantities and mesh variables
- Number of I/O processes
- Number of timesteps
- Compute buffer length and complexity

The way computation is introduced to execution is via the input's *compute level* and *compute length*, which take an integer value of 1 to 3 and 1 to 5 respectively. Increasing the compute level value increases the complexity of operations to perform, while the length parameter influences the duration each buffer will take.

3. CASE STUDY

To assess the performance overheads of replacing HDF5 with a more restrictive library sitting higher in the I/O stack, we

conducted a series of scaling experiments. ARCHER at the Edinburgh Parallel Computing Centre was used to perform large scale runs of up to 10,000 processes.

In order to observe I/O behaviour of the application during execution, the Darshan profiling and tracing library [2] was linked before application execution.

The results demonstrate that absolute I/O time for a run is much greater for TyphonIO than when performing the equivalent operations using HDF5 directly. As process count scales, dedicated I/O for the simulation increases only marginally for HDF5 operations. The HDF5 calls made by TyphonIO are very different and result in I/O time scaling linearly with process count. The trend of increasing write times is seen across all processes, resulting in a much greater cumulative time is spent performing data writes for TyphonIO calls compared to HDF5 when scaling past 2,000 processes.

Examination of the slowest write operations show that TyphonIO's slowest transfer size is consistently around 36 bytes. The slowest data transfers made by HDF5 are never less than $27\times$ larger, with runs at 100 and 7,000 processes displaying sizes of 419 Kbytes and 104 Kbytes respectively. These values suggest that TyphonIO performs many smaller, less efficient write operations. Additionally, timing data also shows the slowest operation time is again consistently lower for HDF5, with the transfer in question taking 4 times longer at 100 processes. This operation upper bound increases at a rate slightly above that at which process count scales for TyphonIO, however the rate is decreasing for HDF5. Consequently, at 10,000 processes there is a $30\times$ time difference with TyphonIO's slowest transfer taking 18 minutes compared to HDF5's 35 seconds.

4. REFERENCES

- [1] A. Brinkmann, T. Cortes, H. Falter, J. Kunkel, and S. Narasimhamurthy. E10 – Exascale I/O Whitepaper. 2014.
- [2] P. H. Carns, R. Latham, R. B. Ross, K. Iskra, S. Lang, and K. Riley. 24/7 Characterization of Petascale I/O Workloads. In *Proceedings of the IEEE International Conference on Cluster Computing and Workshops (CLUSTER'09)*, pages 1–10, New Orleans, LA, September 2009. IEEE Computer Society, Los Alamitos, CA.
- [3] M. Folk, G. Heber, Q. Koziol, E. Pourmal, and D. Robinson. An Overview of the HDF5 Technology Suite and its Applications. In *Proceedings of the EDBT/ICDT 2011 Workshop on Array Databases*, pages 36–47. ACM, 2011.
- [4] Lawrence Livermore National Laboratory. Silo: 2015. <https://wci.llnl.gov/simulation/computer-codes/silo>, Accessed: 1st August 2015.
- [5] R. Thakur, W. Gropp, and E. Lusk. Data-Sieving and Collective I/O in ROMIO. In *Proceedings of the 7th Symposium on the Frontiers of Massively Parallel Computation (FRONTIERS'99)*, pages 182–191, Annapolis, MD, February 1999. IEEE Computer Society, Los Alamitos, CA.
- [6] UK Atomic Weapons Establishment. Typhonio library. <https://github.com/UK-MAC/typhonio>, Accessed: 10th June 2015.